


ALLEGHENY COUNTY



HEALTH DEPARTMENT

2014

# Air Quality Annual Report





**Allegheny County Health Department  
Air Quality Program  
301 39<sup>th</sup> St., Bldg. #7  
Pittsburgh, PA 15201**

**Air Quality  
Annual Report  
for  
2014**


**with  
1994-2014 Trends**



***Pictured on the front cover...***

An old woodstove. In an effort to reduce wood smoke production from inefficient older stoves, ACHD has held five collection events for uncertified woodstoves from Allegheny County residents. If you have an older, inefficient woodstove that lacks EPA certification, ACHD recommends upgrading to a newer unit. All woodstoves manufactured after 1990 are built to EPA-approved specifications which reduce smoke production, increase heat output, and increase efficiency, resulting in less fuel used. All wood burning results in wood smoke, which can be a nuisance and even a hazard to sensitive populations. Gas-burning heaters are the cleanest units, but if you use wood fuel, you can reduce operating costs and generate more heat with an EPA-certified woodstove.

Below is a map of all monitoring locations. Downtown Pittsburgh comprises the Downtown and Flag Plaza sites.



## TABLE OF CONTENTS

Preface .....	i
1. Executive Summary .....	1
2. Attainment of the Federal Standards.....	3
3. Air Monitoring Results	
A. Ozone (O <sub>3</sub> ).....	5
B. Particulate Matter - 2.5 microns or less (PM <sub>2.5</sub> ) .....	8
C. Particulate Matter - 10 microns or less (PM <sub>10</sub> ).....	15
D. Sulfur Dioxide (SO <sub>2</sub> ) .....	17
E. Carbon Monoxide (CO) .....	20
F. Nitrogen Dioxide (NO <sub>2</sub> ).....	21
G. Total Suspended Particulates (TSP) .....	23
H. Lead (Pb).....	25
I. Hydrogen Sulfide (H <sub>2</sub> S) .....	27
J. Dustfall.....	29
K. Benzo(a)pyrene (B(a)P).....	30
L. Hazardous Air Pollutants (HAPs) .....	31
4. Short-Term Exceedances .....	35
5. Air Quality Index.....	38
6. Pollutants, Sources, and Health Effects .....	40
7. Air Monitoring Network.....	42

## Preface

---

This report reflects air quality as sampled and validated by the Allegheny County Health Department (ACHD) through the calendar year of 2014.

For comparison to previous data, this report also provides 2013 data and twenty-year trends. For standards that require consecutive years' averages, multi-year averages are also given. Note that multi-year design values will be calculated as specified by the U.S. Environmental Protection Agency (EPA); if the standard requires calculations on a quarterly basis, such as with PM<sub>2.5</sub>, the multi-year average will be calculated as such.

Exceedances are given for pollutants. An *exceedance* is a concentration that exceeds a standard but does not necessarily constitute a *violation* of a standard. For some standards, a violation is a culmination of several exceedances over a multi-year period. The standards for each pollutant are described in detail in the pollutant sections.

Official validated concentrations are submitted to EPA's Air Quality System (AQS) on a quarterly basis, and selected parameters are available at the AirData website: [www.epa.gov/airdata/](http://www.epa.gov/airdata/). Allegheny County air quality data for 2014 was certified in AQS in mid-2015.

Unofficial data for ozone and PM<sub>2.5</sub> is reported to EPA's AIRNow on an hourly basis and is available at the AIRNow website: [www.airnow.gov/](http://www.airnow.gov/).

Unofficial Air Quality Index (AQI) levels are also available each hour for all continuously monitored pollutants via ACHD phone recording at 412-578-8179.

## 1. Executive Summary

---

The County recorded two exceedance days for 8-hour ozone in 2014, with no days above 0.085 parts per million (ppm). The ACHD monitors showed nonattainment of the 8-hour standard for the eighth consecutive 3-year period. The highest 3-year average of the 4<sup>th</sup> maximum concentration for 2012-2014 was 0.077 ppm at Harrison.

For particulate matter 2.5 microns or less in diameter (PM<sub>2.5</sub>), one of the eight monitoring sites was above the annual standard of 12.0 µg/m<sup>3</sup> (micrograms/cubic meter): Liberty was 13.0 µg/m<sup>3</sup> for the years 2012-2014.

On a short-term basis, the Liberty FRM (Federal Reference Method) PM<sub>2.5</sub> monitor exceeded the 24-hour standard of 35 µg/m<sup>3</sup> four times, leading to a 98<sup>th</sup>-percentile value of 32.2 µg/m<sup>3</sup>. On December 17, 2006, the new EPA 24-hour PM<sub>2.5</sub> standard of 35 µg/m<sup>3</sup> became effective. For the first time, data from all PM<sub>2.5</sub> monitors in Allegheny County show attainment of this standard.

Concurrent with the revised 24-hour PM<sub>2.5</sub> standard, the annual standard of 50 µg/m<sup>3</sup> for PM<sub>10</sub> was revoked. Annual averages are included in this report and may be included in future reports for comparative purposes.

A new 1-hour federal standard of 75 ppb was started in 2010 for SO<sub>2</sub>. To attain this standard, the 3-year average of the 99<sup>th</sup> percentile of the daily maximum 1-hour average at each monitor must not exceed 75 ppb.

A new 1-hour federal standard 100 ppb was started in 2010 for NO<sub>2</sub>. To attain this standard, the 3-year average of the 98<sup>th</sup> percentile of the daily maximum 1-hour average at each monitor must not exceed 100 ppb.

All exceedances of the short-term standards in 2014 are shown in the table on the next page. All other criteria pollutants, except Lead, were below the annual and short-term federal standards in 2014. Ozone can have a short-term exceedance of either the 1-hour or 8-hour standard and will be labeled as such. The PM<sub>2.5</sub> short-term exceedances are for the 24-hour standard and the SO<sub>2</sub> short-term exceedances are for the 1-hour standard.

**2014 Exceedances of the Short-Term Federal Standards**

<b>Pollutant</b>	<b>Site</b>	<b>Date</b>	<b>Concentration</b>	<b>Standard</b>
Ozone	Harrison	7/12/2014	0.076 ppm (8-hr.)	0.075 ppm
Ozone	Harrison	8/4/2014	0.076 ppm (8-hr.)	0.075 ppm
PM <sub>2.5</sub>	Liberty	4 Days	Max = 63.8 µg/m <sup>3</sup>	35 µg/m <sup>3</sup>
SO <sub>2</sub>	Liberty	14 Hours	Max = 122 ppb	75 ppb
SO <sub>2</sub>	North Braddock	5 Hours	Max = 126 ppb	75 ppb

## 2. Attainment of the Federal Standards

---

### 8-Hour Ozone

Allegheny County and the surrounding six counties of the Pittsburgh-Beaver Valley Area have been designated nonattainment for 8-hour ozone, based on 2001-2003 monitored data. In February, 2011 the EPA had issued in 40 CFR part 52, Approval and Promulgation of Air Quality Implementation Plans; Pennsylvania; Determination of Attainment for the Pittsburgh-Beaver Valley 8-Hour Ozone Nonattainment area (this is for the old standard of 0.08 ppm). The monitor at Harrison had the highest 3-year average of 0.080 ppm for 2011-2013 in the area. It remained the highest in Allegheny County for 2012-2014 at 0.077 ppm. Allegheny County is in violation of the new 8-hour ozone standard of 0.075 ppm for the past eight 3-year periods.



### PM<sub>2.5</sub>

Allegheny County has been designated nonattainment for PM<sub>2.5</sub> as part of a multi-county Pittsburgh-Beaver Valley Area, based on 2001-2003 monitored data. Additionally, a five-municipality Liberty-Clairton Area was designated nonattainment as a separate area within Allegheny County. Monitored results for 2012-2014 show levels of attainment county-wide, excluding the Liberty-Clairton Area for the annual standard of 12 µg/m<sup>3</sup>. The Liberty-Clairton Area is still in violation of the new annual standard.



The County is developing a State Implementation Plan (SIP) for the control of PM<sub>2.5</sub> in the Liberty-Clairton Area. Funding from the County's Clean Air Fund has been approved for use in this SIP development. The County will also assist the PA DEP in the development of the Pittsburgh-Beaver Valley PM<sub>2.5</sub> SIP.

### SO<sub>2</sub>

The County had monitored attainment for SO<sub>2</sub> for 10 consecutive years. EPA redesignated Allegheny County to attainment for SO<sub>2</sub> in 2004. However, the Liberty monitor is in nonattainment of the new 1-Hour NAAQS of 75 ppb. ACHD is in the process of developing a SIP for SO<sub>2</sub>.

Other Criteria

The County has monitored attainment for PM<sub>10</sub> for 20 consecutive years. EPA redesignated Allegheny County to attainment for PM<sub>10</sub> in 2003.

For 1-hour ozone, the County has monitored attainment for 17 consecutive years. EPA redesignated Allegheny County to attainment for the 1-hour ozone standard in 2001. EPA revoked this standard for Southwestern PA in 2005.

For CO, the County has monitored attainment for 27 consecutive years. EPA redesignated Allegheny County to attainment for CO in 2003.

For NO<sub>2</sub>, the County has monitored attainment for over 30 consecutive years and has been in attainment since promulgation of the standard.

For Lead (Pb), the County has monitored nonattainment for the first time in over 25 years.

### 3. Air Monitoring Results

---

#### A. Ozone (O<sub>3</sub>)

The federal standard for ozone is based on maximum 8-hour averages within each 8-hour block period within a calendar day. The 8-hour standard of 0.075 parts per million (ppm) must not be exceeded by the 3-year average of the 4<sup>th</sup> highest 8-hour concentrations. The ozone season for Allegheny County extends from April 1 through October 31. The South Fayette monitor runs during the ozone season only.

There were two exceedance days overall for 8-hour ozone in 2014. None of the days included an exceedance at more than one monitor.

Based on predominant wind flow for Allegheny County, South Fayette is considered to represent incoming ozone levels, Lawrenceville represents ambient urban ozone levels, and Harrison represents outgoing ozone levels.


#### 8-Hour Ozone Concentrations

Maximum 8-hour ozone concentrations and exceedance days are given below for 2014, with exceedance concentrations and days shown in red. 2013 values are shown in gray for comparison.

8-Hour Std. = 0.075 ppm*						
Site	2013 8-Hour Maximum (ppm)	2014 8-Hour Maximum (ppm)	2013 Exceedance Days	2014 Exceedance Days	2011-2013 8-Hour 3-Yr. Avg. of 4 <sup>th</sup> Max. (ppm)	2012-2014 8-Hour 3-Yr. Avg. of 4 <sup>th</sup> Max. (ppm)
Harrison	0.085	0.076	4	2	0.080	0.077
Lawrenceville	0.095	0.071	1	0	0.076	0.073
South Fayette	0.089	0.072	2	0	0.074	0.070

\* For comparison to the standards, values are truncated at 1/1000<sup>th</sup> ppm (e.g., 0.0816 truncates to 0.081 ppm). An exceedance day is one in which any 8-hour period has an average of greater than 0.075 ppm.

Below is a chart showing the 8-hour design values for the three Allegheny County Health Department sites since 1997.



1-Hour Ozone Concentrations

The 1-hour standard was revoked for the Pittsburgh-Beaver Valley Area in mid-2005. The former 1-hour standard of 0.12 ppm was not to be exceeded more than once a year, averaged over a 3-year period. 1-hour ozone maximums and exceedances are given in this report for comparative purposes.


Maximum 1-hour concentrations for ozone are given in the table that follows for 2014, with 2013 values shown in gray. “Expected” exceedance days are based on the 3-year average of the actual exceedance days per year, adjusted for missing data.

Former 1-Hour Std. = 0.12 ppm						
Site	2013 1-Hour Maximum (ppm)	2014 1-Hour Maximum (ppm)	2013 Exceedance Days	2014 Exceedance Days	2011-2013 Expected Exceedance Days	2012-2014 Expected Exceedance Days
Harrison	0.099	0.085	0	0	0.0	0.0
South Fayette	0.095	0.083	0	0	0.0	0.0
Lawrenceville	0.108	0.077	0	0	0.0	0.0

\* For comparison to the standards, values are rounded to the nearest 1/100<sup>th</sup> ppm (e.g., 0.126 rounds up to 0.13 ppm). An exceedance day is one in which any hour has a concentration of 0.125 ppm or greater. Concentrations are shown here in thousandths of ppm for detail.

Below is a chart showing ozone exceedance days, both 1-hour and 8-hour, for all Allegheny County sites over the period 1993-2013. Exceedance days represent days when at least one site exceeded the standard. 8-hour exceedance days are shown starting in 1997, when the 8-hour standard was promulgated.

**Ozone Exceedance Days, 1994 - 2014**



**B. Particulate Matter - 2.5 microns or less (PM<sub>2.5</sub>)****PM<sub>2.5</sub> Filter-Based Monitors, Annual**

Federal Reference Method (FRM) filter-based PM<sub>2.5</sub> monitors are used to determine attainment for an area. The annual federal standard for PM<sub>2.5</sub> is 12.0 µg/m<sup>3</sup> on an annual basis (3-year average).


Annual averages for 2014 are given in the table below, with 2013 averages shown in gray. 2014 annual and 3-year averages that exceeded the standard are shown in red.

Annual Std. = 12.0 µg/m <sup>3</sup>				
Site	2013 Average	2014 Average	2011-2013 3-Year Average	2012-2014 3-Year Average
Liberty	12.0	12.7	13.4	13.0
North Braddock	11.2	11.5	11.7	11.4
Avalon	10.2	10.7	11.4	10.6
Lawrenceville	9.8	10.1	10.3	10.0
Harrison	9.6	10.0	10.6	10.0
Clairton	9.4	9.8	9.8	9.5
South Fayette	8.9	9.1	9.6	9.0
North Park	8.7	8.1	8.8	8.5

Note: The Avalon Filter-Based monitor started the third quarter of 2011. Avalon's 3-year average for 2011-2013 is an average of the PM<sub>2.5</sub> BAM data for the first two quarters of 2011 in addition to the Filter-Based monitor data for the last two quarters of 2011, 2012 and 2013.


2014 FRM annual averages are also shown on the map below. Sites that exceeded the standard are shown in red.

2014 PM<sub>2.5</sub> FRM Annual Averages by Site, in  $\mu\text{g}/\text{m}^3$




Long-term trends for the PM<sub>2.5</sub> annual averages and the PM<sub>2.5</sub> annual design values are shown in the charts below.

**PM<sub>2.5</sub> Annual Averages by Year, 2000 to 2014**



**PM<sub>2.5</sub> Annual Averages by 3-Year Period, 2000 to 2014**



PM<sub>2.5</sub> Filter-Based Monitors, 24-Hour

The 24-hour standard for PM<sub>2.5</sub> of 65 µg/m<sup>3</sup> on a 24-hour basis (3-year average of the 98<sup>th</sup>-percentile value) was revised in December 2006 to 35 µg/m<sup>3</sup>.


The maximum 2014 24-hour concentrations and number of exceedance days are shown in the following table, with 2013 values shown in gray. Values for 98<sup>th</sup>-percentile values by year and by 3-year average are also shown. Exceedances in 2014 are shown in red.

24-Hour Std. = 35 µg/m <sup>3</sup>								
Site	2013 24-Hour Max.	2014 24-Hour Max.	2013 24-Hour Exceed.	2014 24-Hour Exceed.	2013 98 <sup>th</sup> - Percentile Value	2014 98 <sup>th</sup> - Percentile Value	2011-2013 3-Year Avg. of 98 <sup>th</sup> - Percentile	2012-2014 3-Year Avg. of 98 <sup>th</sup> - Percentile
Liberty	43.6	63.8	6	4	31.1	32.2	37.2	35.3
North Braddock	29.8	28.3	0	0	26.1	24.4	28.9	25.8
Clairton	18.8	35.3	0	0	17.1	31.2	22.2	22.5
Avalon	32.0	27.0	0	0	23.2	22.6	24.6	22.2
Harrison	28.7	23.6	0	0	24.2	19.9	24.9	21.6
Lawrenceville	27.5	30.4	0	0	20.8	20.7	22.8	20.6
South Fayette	27.4	21.8	0	0	23.5	18.9	24.1	20.2
North Park	16.7	18.0	0	0	16.0	18.0	19.3	16.8


Note: The Avalon Filter-Based monitor started the third quarter of 2011. Avalon's 3-year average for 2011-2013 is an average of the PM<sub>2.5</sub> BAM data for the first two quarters of 2011 in addition to the Filter-Based monitor data for the last two quarters of 2011, 2012 and 2013.

Long-term trends for the PM<sub>2.5</sub> 24-hour 98<sup>th</sup>-percentile by year and then design values by 3-year period are shown in the charts that follow.

**PM<sub>2.5</sub> 24-Hour 98th-Percentile Values by Year, 2000 to 2014**



**PM<sub>2.5</sub> 24-Hour Design Values by 3-Year Period, 2000 to 2014**



PM<sub>2.5</sub> Continuous Monitors

ACHD's two continuous PM<sub>2.5</sub> monitors are used mainly for AQI reporting. These monitors are not used formally in determining attainment of the federal standards, but they do provide estimates of the FRM filter-based values. Since 2007, ACHD reports both the raw (as measured from the monitor) and corrected (correlated to the FRM at the same site) continuous values. All data reported prior to 2007 is considered raw.

Site	Annual Std. = 12.0 µg/m <sup>3</sup> [FRM]			24-Hour Std. = 35 µg/m <sup>3</sup> [FRM]		
	2013 RAW Average	2014 RAW Average	2014 CORRECTED Average	2013 RAW 24-Hour Maximum	2014 RAW 24-Hour Maximum	2014 CORRECTED 24-Hour Maximum
Lawrenceville	8.9	8.9	10.4	25.2	24.6	24.9
Liberty	11.0	11.6	12.7	31.3	49.2	62.0

PM<sub>2.5</sub> Speciation Monitors


Physically, PM<sub>2.5</sub> is any particle that is 2.5 microns or less in diameter. Chemically, PM<sub>2.5</sub> is composed of many different chemical compounds. In addition to the FRM and continuous PM<sub>2.5</sub> monitors, the County operates two PM<sub>2.5</sub> speciation monitors that are used to measure specific components, or species, of the total collected sample. In the Pittsburgh metro area, the most dominant PM<sub>2.5</sub> species are sulfates and organic carbon compounds.

The averages of the major species concentrations are given below. Crustal component is made up of fine soil or minute dust particles. Additional material collected by the monitors and not shown below can include particle-bound water, trace amounts of metals and non-metals, and unspciated material.

Annual averages for major species at Lawrenceville and Liberty for 2014 are given below in µg/m<sup>3</sup>.

Site	Nitrate	Sulfate	Ammonium	Organic Carbon	Elemental Carbon	Crustal Component
Lawrenceville	1.519	2.370	1.070	2.321	0.689	0.586
Liberty	1.384	3.056	1.561	2.526	1.227	0.391

2014 major species averages are also shown in the column chart below.



**C. Particulate Matter - 10 microns or less (PM<sub>10</sub>)**

PM<sub>10</sub> is sampled using both intermittent filter-based and continuous monitors throughout the County. Both types of PM<sub>10</sub> monitors can be used for comparison to the federal standards of 150 µg/m<sup>3</sup> (24-hour). The 24-hour standard can be exceeded an average of once per year over a 3-year period. The PM<sub>10</sub> annual standard of 50 µg/m<sup>3</sup> was revoked by EPA in December 2006; 2013 annual averages have been given below for comparative purposes.

2014 maximums and averages are shown in the table below, with 2013 values shown in gray. There were no exceedances in 2014.

PM<sub>10</sub> Filter-Based Monitors

Site	24-Hour Std. = 150 µg/m <sup>3</sup>		Former Annual Std. = 50 µg/m <sup>3</sup>	
	2013 24-Hour Maximum	2014 24-Hour Maximum	2013 Average	2014 Average
Liberty	59	64	18.6	18.4
Manchester	35	55	16.3	15.9
Avalon	36	46	17.7	15.8
North Braddock	55	43	22.4	18.8
Clairton	28	39	14.7	14.1
South Fayette	28	22	12.6	11.6


PM<sub>10</sub> Continuous Monitors

Site	24-Hour Std. = 150 µg/m <sup>3</sup>		Former Annual Std. = 50 µg/m <sup>3</sup>	
	2013 24-Hour Maximum	2014 24-Hour Maximum	2013 Average	2014 Average
Lincoln	76	70	22.3	22.3
North Braddock	70	64	24.0	26.4
Glassport	60	64	16.3	16.5
Liberty	49	63	16.2	17.4
Flag Plaza	44	46	16.5	18.0
Monroeville	33	36	14.2	14.5

Note: North Braddock and Monroeville PM<sub>10</sub> Continuous Monitors became official the start of 2011.

Below is a chart showing PM<sub>10</sub> 24-hour exceedances for the period 1994-2014. Continuous monitors began operation after 1992. For sites with both filter-based and continuous monitors, data for only the filter-based monitors are shown.

**PM<sub>10</sub> 24-Hour Exceedances, 1994-2014**



**D. Sulfur Dioxide (SO<sub>2</sub>)**


Sulfur dioxide is monitored at five sites in the County, mostly in industrial areas. The South Fayette monitor is used as a background monitor, providing a measurement of SO<sub>2</sub> entering Allegheny County from the southwest. The former primary federal standards were 0.14 ppm (24-hour average) and 0.03 ppm (annually); the new 1-hour primary federal standard of 75 ppb was started in 2010. To attain this standard, the 3-year average of the 99<sup>th</sup> percentile of the daily maximum 1-hour average at each monitor must not exceed 75 ppb. Maximums and averages for 2014 are shown in the table below, with 2013 values shown in gray. Exceedances in 2014 are shown in red. The NCore trace gas analyzer for SO<sub>2</sub> at Lawrenceville started operation in 2010 and Stowe was discontinued in 2011. The North Braddock SO<sub>2</sub> gas analyzer started operation in 2014.

Site	Former 24-Hour Std. = 0.14 ppm		Former Annual Std. = 0.03 ppm	
	2013 24-Hour Maximum	2014 24-Hour Maximum	2013 Average	2014 Average
Liberty	0.029	0.026	0.004	0.004
North Braddock	--	0.025	--	0.003
Avalon	0.011	0.011	0.002	0.002
South Fayette	0.007	0.009	0.001	0.001
Lawrenceville	0.013	0.008	0.001	0.001

Site	1-Hour Std. = 75 ppb				
	2013 1-Hour Maximum	2014 1-Hour Maximum	2011-2013 99 <sup>th</sup> percentile	2012-2014 99 <sup>th</sup> percentile	2014 Exceedances
Liberty	99	122	117	101	14
North Braddock	--	126	--	--	5
Avalon	75	63	40	37	0
Lawrenceville	100	58	26	21	0
South Fayette	55	53	22	20	0


SO<sub>2</sub> 24-hour exceedances are shown on the following page for 1994-2014. The former 24-hour standard can be exceeded once per year. Glassport was the last site to exceed the 24-hour standard in 1999.

**Sulfur Dioxide 24-Hour Exceedances, 1994-2014**




SO<sub>2</sub> annual average trends are shown below for 1994-2014.

**Sulfur Dioxide Annual Averages, 1994-2014**



SO<sub>2</sub> one hour design value trends are shown below for 2000-2014.



### E. Carbon Monoxide (CO)


The County operates four carbon monoxide (CO) monitors; two in the Downtown Pittsburgh area. The NCore trace gas analyzer for CO at Lawrenceville started operation in 2010. The Parkway East, Near Road, trace gas analyzer for CO started operation on 9/1/2014 and the Downtown CO monitor was discontinued on 8/27/2014. The federal standards for CO are 35 ppm on an hourly basis and 9 ppm on an 8-hour average basis. Maximums for 2014 are shown in the table below, with 2013 values shown in gray.

Site	1-Hour Std. = 35 ppm		8-Hour Std. = 9 ppm	
	2013 1-Hour Maximum	2014 1-Hour Maximum	2013 8-Hour Maximum	2014 8-Hour Maximum
Parkway East	--	3.1	--	1.4
Lawrenceville	2.1	2.7	1.3	1.5
Flag Plaza	1.7	2.7	1.4	1.8
Downtown*	2.2	2.0	1.6	1.6

\* Note: The Downtown site was formerly referred to as the "Courthouse."

Carbon monoxide maximum trends are shown below for 1994-2014. The County has not exceeded the 8-hour standard since 1987.

**Carbon Monoxide 1-Hour and 8-Hour Maximum Trends, 1994-2014**




## F. Nitrogen Dioxide (NO<sub>2</sub>)

Nitrogen oxides are monitored at three sites in the County. Nitrogen dioxide (NO<sub>2</sub>) is calculated each hour by subtracting nitrogen oxide (NO) from the total nitrogen oxides (NO<sub>x</sub>) concentration. Starting in 2010, the standard for NO<sub>2</sub> is now 0.053 ppm (53 ppb) on an annual average basis. A new 1-hour federal standard 100 ppb was started in 2010. To attain this standard, the 3-year average of the 98<sup>th</sup> percentile of the daily maximum 1-hour average at each monitor must not exceed 100 ppb. 2014 averages are shown in the table below, with 2013 values shown in gray. The Parkway East, Near Road, trace gas analyzer for NO<sub>2</sub> started operation on 9/1/2014 and the Lawrenceville NO<sub>2</sub> monitor was discontinued on 8/25/2014.


Site	Annual Std. = 53 ppb		1-Hour Std. = 100 ppb			
	2013 Average	2014 Average	2013 1-Hour Maximum	2014 1-Hour Maximum	2011-2013 98 <sup>th</sup> percentile	2012-2014 98 <sup>th</sup> percentile
Parkway East	--	13	--	42	--	--
Lawrenceville	10	10	44	41	41	40
Harrison	7	7	75	49	39	37

Long-term trends for NO<sub>2</sub> annual averages are shown below for 1994-2014.

**Nitrogen Dioxide Annual Averages, 1994-2014**



NO<sub>2</sub> one hour design value trends are shown below for 2000-2014.



### G. Total Suspended Particulates (TSP)


Federal standards for total suspended particulates (TSP) were replaced by those for PM<sub>10</sub> in 1987. TSP was measured at one site in the County for the analysis of lead and to examine long-term trends. ACHD is no longer measuring TSP as of yearend 2013. The former federal standards for TSP are 260 µg/m<sup>3</sup> on a 24-hour basis (maximum) and 75 µg/m<sup>3</sup> annually (geometric mean).

For 2009 and previous years, the TSP vales are calculated at standard conditions, however 2010 and future values will be calculated at local conditions. 2013 maximums and geometric means are shown in the table below in gray. The Avalon monitor was moved to Lawrenceville the second quarter of 2011.


	Former 24-Hour Std. = 260 µg/m <sup>3</sup>		Former Annual Std. = 75 µg/m <sup>3</sup>	
Site	2013 24-Hour Maximum	2014 24-Hour Maximum	2013 Geometric Mean	2014 Geometric Mean
Lawrenceville	63	--	26.2	--

Below is a chart showing 1994-2014 trends for annual geometric mean TSP. Braddock last exceeded the former annual standard in 1996.

TSP Annual Geometric Mean Trends, 1994-2014



Below is a chart showing exceedances the former 24-hour TSP standard for the period 1994-2014.




Because the former TSP standards were replaced by the PM<sub>10</sub> standards, exceedances of the former standard do not constitute violations.

## H. Lead (Pb)


Lead is analyzed at the laboratory from the three TSP filter sites in the network. The federal standard was 1.5  $\mu\text{g}/\text{m}^3$  on a quarterly average basis; however in 2009 the federal standard has changed to 0.15  $\mu\text{g}/\text{m}^3$  on a 3-month rolling average basis at local conditions. 2014 3-month rolling average maximums are shown in the table below, with 2013 3-month rolling average maximums shown in gray. Exceedances in 2014 are shown in red. Both Bridgeville and Natrona started operation in 2010. The Avalon monitor was moved to Lawrenceville the second quarter of 2011.

Site	3-Month Average Std. = 0.15 $\mu\text{g}/\text{m}^3$	
	2013 3-Month Average Maximum	2014 3-Month Average Maximum
Bridgeville	0.028	0.189
Natrona	0.022	0.022
Lawrenceville	0.006	0.007

Below is a chart showing 1994-2014 trends of the quarterly maximum lead concentration per year. Several sites have monitored lead since 1986; the maximum concentration from all sites is shown for each given year. 2008 and prior years are quarterly maximums, while 2009 and future years are maximum 3-month averages.



Below is a chart showing the 3-month rolling average for Bridgeville. Note the month at the bottom of the chart represents the last month in the 3-month rolling average. For example January 2011 represents the 3-month average of November 2010, December 2010, and January 2011.




## I. Hydrogen Sulfide (H<sub>2</sub>S)

There are no federal standards for hydrogen sulfide. However, PA state standards for protection against odor nuisances are 0.1 ppm on a 1-hour basis and 0.005 ppm on a 24-hour average basis.

Hydrogen sulfide 1-hour concentrations for 2014 are given in the table below, with 2013 values shown in gray. 2014 1-hour concentrations that exceeded the standard are shown in red. Long-term exceedances for 1994-2014 are also given in the chart below. Liberty exceeded the 1-hour PA standard in 2013. The West Allegheny monitor started operation in May 2009 and was discontinued on 8/29/2014.

	1-Hour PA Standard = 0.1 ppm			
Site	2013 1-Hour Maximum	2014 1-Hour Maximum	2013 Exceedances	2014 Exceedances
Liberty	0.109	0.083	1	0
Avalon	0.013	0.008	0	0
West Allegheny	0.004	0.002	0	0


**Hydrogen Sulfide 1-Hour Exceedances, 1994-2014**



Hydrogen sulfide 24-hour concentrations and exceedances for 2014 are next given in the following table, with 2013 values shown in gray. Long-term exceedances for 1994-2014 are also given in the chart below. Exceedances for 2014 are shown in red. Each exceedance constitutes a violation of the state H<sub>2</sub>S standards.

	24-Hour PA Standard = 0.005 ppm			
Site	2013 24-Hour Maximum	2014 24-Hour Maximum	2013 Exceedances	2014 Exceedances
Liberty	0.021	0.016	28	49
Avalon	0.004	0.002	0	0
West Allegheny	0.002	0.001	0	0

Hydrogen Sulfide 24-Hour Exceedances, 1994-2014



**J. Dustfall**

Dustfall (or total settled particulates) is more of a nuisance than a health hazard, in that the particles are too large to be inhaled into the respiratory system.

PA state standards for protection against dust nuisances are 23 tons/mile<sup>2</sup>/month on an annual average basis and 43 tons/mile<sup>2</sup>/month on a monthly basis.

Annual averages, monthly maximums, and exceedances for 2014 are shown in the table below, with 2013 values shown in gray. Exceedances for 2014 are shown in red. Each exceedance constitutes a violation of the state dustfall standards.

Only Collier, Natrona 8, and Natrona 9 dustfall collectors are in operation for 2009 and future years. North Braddock, Neville, Neville 2 and Forward dustfall collectors were discontinued year end 2008.

Site	Annual PA Standard = 23 tons/mile <sup>2</sup> /month		Monthly PA Standard = 43 tons/mile <sup>2</sup> /month		Monthly Exceedances	
	2013 Average	2014 Average	2013 Monthly Maximum	2014 Monthly Maximum	2013 Exceedances	2014 Exceedances
Natrona 9	24	26	49	40	1	0
Natrona 8	11	12	21	24	0	0
Collier	10	10	17	19	0	0

### **K. Benzo(a)pyrene (B(a)P)**

Benzo(a)pyrene, or B(a)P, is a known carcinogen. There are no federal or state ambient standards for B(a)P.

24-hour maximums and annual averages for B(a)P in 2014 are shown below, with 2013 values shown in gray. Liberty typically shows the highest concentrations of B(a)P in Allegheny County.

<b>No Ambient Standard</b>				
<i>Concentrations given in ng/m<sup>3</sup>*</i>				
<b>Site</b>	<b>2013 24-Hour Maximum</b>	<b>2014 24-Hour Maximum</b>	<b>2013 Average</b>	<b>2014 Average</b>
Liberty	52	51	7	7
Avalon	2	2	0	0
South Fayette	1	0	0	0

Note: Nanograms/cubic meter (ng/m<sup>3</sup>) represents a smaller quantity than micrograms/cubic meter (µg/m<sup>3</sup>). There are 1000 nanograms in a microgram. Concentrations for B(a)P may therefore appear much greater than those for other compounds.

## **L. Hazardous Air Pollutants (HAPs)**

Hazardous Air Pollutants (HAPs), or air toxics, are a group of 187 EPA-classified pollutants that can cause cancer or other serious health effects or adverse environmental and ecological effects. HAPs are sampled by various methods at several locations in the county. HAPs are not criteria pollutants, and there are no federal ambient standards for these compounds.

HAPs monitoring methods and locations are summarized below:

### Canister Toxics

SUMA canisters are in operation at Flag Plaza, Avalon, Stowe, and South Fayette. Canister concentrations represent 24-hour samples, collected every six days, which are analyzed at an out-of-County lab (Maryland). Canister toxics monitoring at Flag Plaza has been in operation for several years, while monitoring at Avalon, Stowe, and South Fayette is part of an ACHD in-house air toxics study started in 2006 and discontinued year end 2007.

### Cartridge Toxics

Cartridge (carbonyl) monitoring is conducted at all of the canister sites at every-six-day intervals, and samples are analyzed at an out-of-County lab (Philadelphia). Cartridge toxics monitoring at Flag Plaza has been in operation for several years, while monitoring at Avalon, Stowe, and South Fayette is part of an ACHD in-house air toxics study started in 2006 and discontinued year end 2007.

### Benzene

The HAP compound benzene was measured continuously at Liberty through 2013. ACHD started monitoring benzene at Liberty in January and Avalon in April of 2014 using charcoal tubes on a 24-hour basis. However, the benzene monitor was inoperative in most of 2006 and 2007.

Results from the various techniques and sites are given below and on the following pages. Several additional compounds that are analyzed simultaneously with the canister and cartridge samples, but are not classified as HAPs, are also provided.

### Flag Plaza - Canister and Cartridge

Annual averages and 24-hour maximums for Flag Plaza canister and cartridge HAPs in 2014 are shown below, with 2013 values shown in gray. Several years of toxics data are available for Flag Plaza, and multi-year trends for selected compounds may be included in future reports.

Notes: Concentrations are given below in units of parts-per-billion (ppb) by volume; one ppb is equal to 1/1000<sup>th</sup> parts-per-million (ppm) by volume.

Flag Plaza				
HAP	2013 Average (ppb)	2013 24-Hour Maximum (ppb)	2014 Average (ppb)	2014 24-Hour Maximum (ppb)
Carbon disulfide	--	--	0.00	0.04
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113) †	0.32	1.52	1.21	7.07
1,2-Dichloro-1,1,2,2-tetrafluoroethane (Freon 114) †	0.02	0.04	0.02	0.08
Ethyl acetate†	--	--	--	--
1,3-Butadiene	0.03	0.11	0.03	0.32
Hexane	0.10	0.67	0.09	0.40
Heptane†	0.05	0.10	0.06	0.46
Cyclohexane†	0.04	0.11	0.03	0.59
Isopropyl alcohol†	--	--	--	--
Methyl tert-butyl ether (MTBE, 2-methoxy-2-methyl-Propane)	0.00	0.00	0.00	0.00
Acetone*†	1.21	3.33	1.53	3.91
Methyl ethyl ketone (MEK, 2-Butanone)*	0.22	0.69	0.27	0.44
Methyl butyl ketone (2-Hexanone) †	--	--	0.00	0.00
Methyl isobutyl ketone (MIK, 4-Methyl-2-pentanone)*	0.01	0.11	0.01	0.09
Chloromethane	0.65	0.78	0.74	4.47
Methylene chloride (Dichloromethane)	0.11	0.98	0.16	0.95
Chloroform	0.02	0.06	0.03	0.45
Carbon tetrachloride	0.09	0.12	0.09	0.14
Bromoform (Tribromomethane)	--	--	0.00	0.00
Trichlorofluoromethane (Freon 11) †	0.24	0.30	0.29	1.81
Chloroethane	--	--	0.00	0.00
1,1-Dichloroethane	--	--	0.00	0.00
1,1,1-Trichloroethane (Methyl chloroform)	0.01	0.02	0.01	0.08
1,2-Dichloroethane (Ethylene dichloride)	0.01	0.14	0.01	0.08
Tetrachloroethylene	0.02	0.10	0.03	0.23
1,1,2,2-Tetrachloroethane	0.00	0.00	0.00	0.03
Bromomethane	--	--	0.00	0.00
1,1,2-Trichloroethane	--	--	0.00	0.00
Dichlorodifluoromethane (Freon 12) †	0.49	0.80	0.61	3.47
Trichloroethene (-ethylene, TCE)	0.00	0.01	0.00	0.02
1,1-Dichloroethylene (-ethene, DCE, Vinylidene chloride)	--	--	0.00	0.00

Flag Plaza				
HAP	2013 Average (ppb)	2013 24-Hour Maximum (ppb)	2014 Average (ppb)	2014 24-Hour Maximum (ppb)
Bromodichloromethane†	--	--	0.00	0.00
1,2-Dichloropropane	0.00	0.01	0.00	0.03
trans-1,3-Dichloro-1-propene (-propylene)	0.00	0.01	0.00	0.01
cis-1,3-Dichloro-1-propene (-propylene)	0.00	0.02	0.00	0.00
Dibromochloromethane†	--	--	0.00	0.00
trans-1,2-Dichloroethene†	--	--	0.00	0.00
cis-1,2-Dichloroethene†	--	--	0.00	0.00
1,2-Dibromoethane (Ethylene dibromide)	0.00	0.00	0.00	0.06
Hexachloro-1,3-butadiene (Hexachlorobutadiene)	--	--	0.00	0.00
Chloroethene (Vinyl chloride)	0.00	0.04	0.00	0.04
m & p- Xylene	0.07	0.23	0.09	0.48
Benzene	0.27	0.74	0.35	2.57
Toluene	0.26	0.82	0.31	1.28
Ethylbenzene	0.03	0.07	0.03	0.14
o-Xylene	0.03	0.08	0.03	0.14
1,3,5-Trimethylbenzene†	0.00	0.02	0.01	0.07
1,2,4-Trimethylbenzene†	0.03	0.08	0.03	0.13
1-Ethyl-4-methylbenzene (4-Ethyltoluene) †	0.01	0.03	0.01	0.06
Styrene	0.02	0.13	0.03	0.31
Chlorobenzene	0.00	0.01	0.00	0.10
1,2-Dichlorobenzene†	--	--	0.00	0.00
1,3-Dichlorobenzene†	--	--	0.00	0.00
1,4-Dichlorobenzene	0.00	0.02	0.01	0.34
Benzyl chloride	--	--	--	--
1,2,4-Trichlorobenzene	--	--	0.00	0.00
1-Bromopropane (n-propylbromide, nPB)	--	--	0.00	0.00
Tetrahydrofuran†	0.02	0.06	0.01	0.05
Acetaldehyde*	0.69	2.12	0.81	1.51
Acrolein*	0.03	0.15	0.03	0.43
Formaldehyde*	1.49	4.72	1.56	4.55
Propionaldehyde*	0.12	0.37	0.15	0.24
Acrylonitrile	--	--	--	--
Acetonitrile	--	--	--	--

\*Value measured by cartridge (carbonyl) method. All other values are as measured by SUMA canister.


†Compound is not an official EPA-classified HAP.

Benzene

Additionally, benzene was measured continuously at Liberty through 2013. ACHD started monitoring benzene at Liberty in January and Avalon in April of 2014 using charcoal tubes on a 24-hour basis. The annual average and 24-hour maximum for benzene in 2014 are shown below, with 2013 values shown in gray.

Site	2013 Average (ppb)	2013 24-Hour Maximum (ppb)	2014 Average (ppb)	2014 24-Hour Maximum (ppb)
Liberty	0.2	5.7	1.27	9.26
Avalon	--	--	0.24	1.62

A chart showing Liberty benzene annual averages for 1994-2014 is shown below. The continuous monitor began operation in 1991 and was not operational in 1996, most of 2006, 2007, and portions of 2011, 2012 and 2013.



## 4. Short-Term Exceedances

Exceedances of the federal short-term primary standards are listed below for the years 2001 through 2014 for each standard. Exceedances are given by year, site, number of exceedances, and maximum concentration.

Standard	Year	Site	Number of Exceedances	Maximum Concentration
24-Hour PM <sub>2.5</sub> 65 µg/m <sup>3</sup>	2001	Liberty	5	99 µg/m <sup>3</sup>
	2002	Liberty	1	70 µg/m <sup>3</sup>
	2003	Liberty	9	102 µg/m <sup>3</sup>
	2004	Liberty	7	94 µg/m <sup>3</sup>
	2005	Liberty	10	100 µg/m <sup>3</sup>
	2006	Liberty	3	101 µg/m <sup>3</sup>
35 µg/m <sup>3</sup>	2007	Liberty	46	61.7 µg/m <sup>3</sup>
	2007	Lawrenceville	12	50.7 µg/m <sup>3</sup>
	2007	N. Braddock	6	50.0 µg/m <sup>3</sup>
	2007	Harrison	5	51.8 µg/m <sup>3</sup>
	2007	South Fayette	4	43.6 µg/m <sup>3</sup>
	2007	Moon	1	40.7 µg/m <sup>3</sup>
	2007	Clairton	1	40.4 µg/m <sup>3</sup>
	2007	North Park	1	39.6 µg/m <sup>3</sup>
	2008	Liberty	31	70.8 µg/m <sup>3</sup>
	2008	N. Braddock	4	38.4 µg/m <sup>3</sup>
	2008	Harrison	2	41.3 µg/m <sup>3</sup>
	2008	Clairton	1	40.6 µg/m <sup>3</sup>
	2008	Lawrenceville	1	39.7 µg/m <sup>3</sup>
	2009	Liberty	12	92.1 µg/m <sup>3</sup>
	2009	Harrison	1	43.5 µg/m <sup>3</sup>
	2010	Liberty	25	69.9 µg/m <sup>3</sup>
	2010	N. Braddock	3	40.6 µg/m <sup>3</sup>
	2010	Lawrenceville	2	41.5 µg/m <sup>3</sup>
	2010	Harrison	2	39.7 µg/m <sup>3</sup>
	2010	Clairton	1	37.0 µg/m <sup>3</sup>
2011	Liberty	10	59.0 µg/m <sup>3</sup>	
2011	Avalon	1	35.6 µg/m <sup>3</sup>	
2011	N. Braddock	1	35.5 µg/m <sup>3</sup>	
2012	Liberty	9	54.7 µg/m <sup>3</sup>	
2013	Liberty	6	43.6 µg/m <sup>3</sup>	
2014	Liberty	4	63.8 µg/m <sup>3</sup>	

Standard	Year	Site	Number of Exceedances	Maximum Concentration
8-Hour Ozone 0.08 ppm	2001	Harrison	8	0.101 ppm
	2001	Lawrenceville	4	0.095 ppm
	2001	South Fayette	7	0.098 ppm
	2002	Harrison	14	0.105 ppm
	2002	Lawrenceville	16	0.107 ppm
	2002	South Fayette	17	0.110 ppm
	2003	Harrison	2	0.121 ppm
	2003	Lawrenceville	5	0.122 ppm
	2003	South Fayette	4	0.111 ppm
	2004	South Fayette	1	0.089 ppm
	2005	Harrison	6	0.107 ppm
	2005	Lawrenceville	1	0.085 ppm
2005	South Fayette	4	0.103 ppm	
2006	Harrison	4	0.093 ppm	
2006	Lawrenceville	2	0.086 ppm	
2006	South Fayette	1	0.087 ppm	
2007	Harrison	4	0.099 ppm	
2007	Lawrenceville	3	0.092 ppm	
2007	South Fayette	1	0.087 ppm	
0.075 ppm	2008	Harrison	10	0.091 ppm
	2008	Lawrenceville	7	0.084 ppm
	2008	South Fayette	3	0.079 ppm
	2009	Harrison	6	0.084 ppm
	2009	Lawrenceville	1	0.077 ppm
	2010	Harrison	6	0.105 ppm
	2010	Lawrenceville	7	0.087 ppm
	2010	South Fayette	5	0.089 ppm
	2011	Harrison	10	0.085 ppm
	2011	Lawrenceville	3	0.095 ppm
	2011	South Fayette	6	0.086 ppm
	2012	Harrison	16	0.094 ppm
2012	Lawrenceville	7	0.089 ppm	
2012	South Fayette	6	0.085 ppm	

Standard	Year	Site	Number of Exceedances	Maximum Concentration
8-Hour Ozone 0.075 ppm	2013	Harrison	4	0.085 ppm
	2013	Lawrenceville	1	0.095 ppm
	2013	South Fayette	2	0.089 ppm
	2014	Harrison	2	0.076 ppm
1-Hour Ozone 0.12 ppm	2003	Lawrenceville	1	0.130 ppm
	2003	South Fayette	1	0.132 ppm
24-Hour PM <sub>10</sub> 150 µg/m <sup>3</sup>	2004	Lincoln	1	162 µg/m <sup>3</sup>
	2005	Lincoln	1	157 µg/m <sup>3</sup>
1-Hour SO <sub>2</sub> 75 ppb	2010	Liberty	34	215 ppb
	2010	South Fayette	1	108 ppb
	2010	Avalon	2	97 ppb
	2010	Stowe Township	3	93 ppb
	2011	Liberty	45	450 ppb
	2012	Liberty	43	199 ppb
	2013	Liberty	9	99 ppb
	2013	Lawrenceville	2	100 ppb
	2014	Liberty	14	122 ppb
	2014	North Braddock	5	126 ppb

## 5. Air Quality Index

The Air Quality Index (AQI) is a method of quantifying air quality on any given day according to the highest measurements. EPA's AQI scale is shown below:

Air Quality Index (AQI) Values	Levels of Health Concern	Colors
<i>When the AQI is in this range:</i>	<i>...air quality conditions are:</i>	<i>...as symbolized by this color:</i>
<b>0 to 50</b>	<b>Good</b>	<b>Green</b>
<b>51 to 100</b>	<b>Moderate</b>	<b>Yellow</b>
<b>101 to 150</b>	<b>Unhealthy for Sensitive Groups</b>	<b>Orange</b>
<b>151 to 200</b>	<b>Unhealthy</b>	<b>Red</b>
<b>201 to 300</b>	<b>Very Unhealthy</b>	<b>Purple</b>
<b>301 to 500</b>	<b>Hazardous</b>	<b>Maroon</b>

The Pennsylvania Department of Environmental Protection (PA DEP) forecasts daily AQI levels for PM<sub>2.5</sub> (year-round) and for ozone (April through Oct.) for Southwestern Pennsylvania.

Allegheny County AQI levels according to actual monitored results for 2001-2014 are shown in the table below, by number of days.

Year	<i>Good Days</i>	<i>Moderate Days</i>	<i>Unhealthy for Sensitive Groups Days</i>	<i>Unhealthy Days</i>
2001	123	192	45	5
2002	144	172	44	5
2003	156	172	28	9
2004	141	182	36	7
2005	136	182	36	11
2006	156	173	32	4
2007	136	174	47	8
2008	187	157	20	2
2009	214	136	14	1
2010	146	163	48	8

<b>Year</b>	<b>Good Days</b>	<b>Moderate Days</b>	<b>Unhealthy for Sensitive Groups Days</b>	<b>Unhealthy Days</b>
<b>2011</b>	176	156	30	3
<b>2012</b>	136	183	46	1
<b>2013</b>	175	175	15	0
<b>2014</b>	169	179	16	1

The Unhealthy for Sensitive Groups range represents an exceedance level for criteria pollutants.

In Allegheny County, unhealthy days can occur during different air quality scenarios. Elevated PM<sub>2.5</sub> days can be either widespread or localized and can also coexist with elevated ozone concentrations in summer months.

Days in the unhealthy ranges are shown below for 2014, broken down by air quality scenario.

<b>2014 Unhealthy Scenarios</b>	<b>Unhealthy for Sensitive Groups Days</b>	<b>Unhealthy Days</b>
Elevated PM <sub>2.5</sub> - Liberty Only	2	1
Elevated PM <sub>2.5</sub> - Widespread	0	0
Elevated Sulfur Dioxide Only	10	0
Elevated Ozone Only	2	0
Elevated PM <sub>2.5</sub> with Elevated Sulfur Dioxide	2	0
Elevated PM <sub>2.5</sub> with Elevated Ozone	0	0
Elevated Ozone with Elevated Sulfur Dioxide	0	0
Elevated PM <sub>2.5</sub> , Elevated Ozone and Elevated Sulfur Dioxide	0	0

## 6. Pollutants, Sources, and Health Effects

EPA promulgated the National Ambient Air Quality Standards (NAAQS) for six criteria pollutants. In addition, the State of Pennsylvania has also adopted standards for hydrogen sulfide (H<sub>2</sub>S) and dustfall (total settled particulate matter). The Clean Air Act also defines Hazardous Air Pollutants (HAPs) but does not address specific ambient limits for these compounds.

<i>Pollutant</i>	<i>Primary Sources</i>	<i>Health Effects</i>
<u><i>Criteria Pollutants</i></u>		
Ozone – O <sub>3</sub> (colorless gas)	Formed in hot, sunny conditions from vehicle, commercial, and industrial emissions	Respiratory problems; eye, nose, and throat irritation
Particulate Matter – PM (solid or liquid particles)	Coke plants, steel mills, power plants, road dust, vehicles	Respiratory problems; small particles may also aggravate heart conditions
Sulfur Dioxide – SO <sub>2</sub> (colorless gas)	Power plants, coke plants	Respiratory problems
Carbon Monoxide – CO (colorless, odorless gas)	Motor vehicles, especially congested areas	Heart or lung disease; headache; fatigue; impaired reflexes and alertness
Nitrogen Dioxide – NO <sub>2</sub> (colorless, odorless gas)	Power and industrial plants, motor vehicles	Respiratory problems; eye irritation
Lead – Pb (in particulates)	Incinerators, glass making, metallurgical facilities	Headache; fatigue; sleep and digestive disorders

<i>Pollutant</i>	<i>Primary Sources</i>	<i>Health Effects</i>
	<u><i>Other</i></u>	
Hydrogen Sulfide – H <sub>2</sub> S (colorless, pungent gas)	Coke plants, waste treatment plants	Respiratory problems; eye irritation; malodorous
HAPs (often carcinogens)	Various, including motor vehicles, chemical and power plants, steel mills, dry cleaners, print shops	Can be carcinogenic; can cause birth defects
Benzo(a)pyrene – B(a)P	Coke plants	Carcinogen

## 7. Air Monitoring Network

Below is a table of monitor sites according to pollutant types, current through 2014. Meteorological monitors (wind and temperature) are also included.

	SO <sub>2</sub>	CO	NO <sub>x</sub>	O <sub>3</sub>	PM <sub>10</sub>	PM <sub>2.5</sub>	Pb	H <sub>2</sub> S	HAPs	Dustfall	Met
Downtown		C									
Flag Plaza		C			C				I(6), I(6)		
Manchester					I(6)						
Lawrenceville	C(T)	C(T)	C	C	C	C, I(1) C, I(6) SPC(3)	I(6) I(6)		I		C
North Park						I(6)					
Monroeville					C						
Avalon	C				I(6)	C, I(3)		C	I		C
Bridgeville							I(6)				
Harrison			C	C		I(3)					
Natrona							I(6)			I, I	
N. Braddock	C				C, I(6) I(6)	I(3)					
Liberty	C				C, I(3) I(6)	C, I(1) I(6) SPC(6)		C	I		C
Glassport					C						
Lincoln					C						
Clairton					I(6)	I(6)					
South Fayette	C			C(S)	I(6)	I(3)					C
Collier										I	
Parkway East		C(T)	C(T)								C
West Allegheny								C			
<b>Total</b>	C = 5	C = 4	C = 3	C = 3	C = 7 I = 8	C = 4 I = 10 SPC = 2	I = 4	C = 3	I = 5	I = 3	C = 5

**KEY** C = Continuous; I = Intermittent or Filter-Based  
 (1), (3), or (6) = Sampling Frequency [for example, (3) means every third day]  
 SPC = Speciation; (S) = Seasonal Continuous Monitor; (T) = Trace Level Monitor

### ***Additional Information***

For more information concerning Allegheny County air quality data, contact the ACHD Air Quality Program, Planning and Data Analysis Section, at 412-578-8120, or at [svozar@achd.net](mailto:svozar@achd.net).

For information concerning Pennsylvania Air Quality, visit:  
[www.dep.state.pa.us/dep/deputate/airwaste/aq/default.htm](http://www.dep.state.pa.us/dep/deputate/airwaste/aq/default.htm).

For information about national air quality, visit EPA's website: [www.epa.gov](http://www.epa.gov).

"This project has been funded wholly or in part by the United States Environmental Protection Agency under assistance agreement 3041-14 to Allegheny County Health Department. The contents of this document do not necessarily reflect the views and policies of the Environmental Protection Agency, nor does the **EPA** endorse trade names or recommend the use of commercial products mentioned in this document."

This report was compiled by the following ACHD staff:

Shaun Vozar  
Allason Holt  
Alaina Conner



Allegheny County Health Department  
Air Quality Program  
301 39<sup>th</sup> St., Bldg. 7  
Pittsburgh, PA 15201  
412-687-ACHD  
[www.achd.net](http://www.achd.net)

Allegheny County Health Department  
Karen Hacker, M.D., M.P.H., Director

Bureau of Environment Health  
James Thompson, Deputy Director

Air Quality Program  
Jayme Graham, Manager